

CLAIMS

What is claimed is:

sub  
A1

5 1. In a client computer system, a method for defining objects, the method comprising the steps of:

providing a local object specification to a server;

receiving a global object specification from the server, the global object specification including at least one global object definition having a unique global object identification; and

10 generating a signal indicating whether the global object specification and the local object specification define common object definitions.

2. The method of claim 1 wherein the step of providing the local object specification to the server includes the steps of:

15 reserving an object creation right with the server;

in response to reserving the object creation right with the server, defining the local object specification to include at least one local object definition and a corresponding local object identification that is unique to the at least one local object on the client; and transferring the local object specification to the server.

20

3. The method of claim 2 wherein the step of reserving an object creation right with the server includes the step of:

checking for an existence of an object specification on the server, and if no object specification exists on the server, creating a reservation object specification on the server  
25 in order to reserve the object creation right with the server on behalf of the client, and if an object specification exists on the server, receiving a denial of the object creation right for the client.

4. The method of claim 1 wherein the step of generating a signal indicating whether the global object specification and the local object specification define common object definitions includes the steps of:

checking whether the global object specification contains a corresponding global  
5 object definition for each respective local object defined in the local object specification;  
and

if the global object specification contains a corresponding global object definition  
for each respective local object defined in the local object specification, then replacing  
the local object specification in the client with the global object specification received  
10 from the server; and

if the global object specification does not contain a corresponding global object  
definition for each respective local object defined in the local object specification, then  
providing the indication of an error to the server.

15 5. The method of claim 1 wherein the signal indicates that the global object specification  
and the local object specification define common object definitions and wherein the  
method further comprising the steps of:

in response to the signal indicating that the global object specification and the  
local object specification define common object definitions, providing a confirmation of  
20 acceptance of the global object specification to the server to indicate to the server to send  
an update to other clients such that the other clients can create objects in conjunction with  
the server; and

releasing the object creation right with the server.

25 6. The method of claim 5 wherein the step of releasing the object creation right with the  
server comprises the step of providing an indication to the server to delete a reservation  
object specification on the server that reserve the object creation right with the server on  
behalf of the client.

7. The method of claim 1 wherein the step of receiving the global object specification receives a global object specification containing global object definitions that correspond to respective local object definitions in the local object specification, the global object definitions having respective global object identifications that are unique amongst all global object definitions created by the server.

8. The method of claim 7 wherein:

the client is client collaboration software performing on a client computer system involved in a collaboration session with the server;

the server is collaboration adapter software operating on a collaboration computer system; and

wherein the method further comprises the step of:

in response to determining that the server properly created the global object specification, providing confirmation of acceptance of the global object specification to the server such that the server can update the global object specification of other client computer systems performing client collaboration software such that all clients involved in the collaboration session with the server contain the global object definitions having unique global object identifications.

9. In a server computer system, a method for defining objects, the method comprising the steps of:

receiving a local object specification from a client;

for each local object definition in the local object specification, defining, within a global object specification, a corresponding global object definition including a unique global object identification; and

providing the global object specification to the client.

10. The method of claim 9 wherein the step of defining, within a global object specification, a corresponding global object definition including a unique global object identification comprises the steps of:

creating a global object definition that contains object properties equivalent to object properties of the local object definition to which the global object definition corresponds;

5 generating an object identification for the unique global object identification that is unique amongst all global object identifications assigned to any existing global object definitions known to the server; and

assigning the unique global object identification to the global object definition such that the global object definition is uniquely identified amongst all global object definitions.

10

11. The method of claim 10 wherein the step of creating a global object definition that contains object properties equivalent to object properties of the local object definition to which the global object definition corresponds comprises the step of:

15 copying the local object definition in the local object specification to a global object definition within the global object specification to generate the global object definition which is a copy of the local object definition; and

wherein the step of assigning the unique global object identification to the global object definition replaces the local object identification copied to the global object definition with the unique global object identification generated by the step of generating  
20 an object identification for the unique global object identification.

12. The method of claim 9 further including the step of:

associating the global object definition to the global object specification.

25 13. The method of claim 9 further comprising the steps of:

receiving, from a client, a request to reserve an object creation right on the server;  
and

checking if the client is able to create an object on the server, and if the client is able to create an object on the server, returning an object creation right to the client, and

if the client is not able to create an object on the server, providing a denial of the object creation right to the client.

14. The method of claim 13 wherein the step of receiving, from a client, a request to  
5 reserve an object creation right on the server comprises the steps of:

receiving an attempt to create a reservation object specification from the client in  
order to reserve the object creation right with the server on behalf of the client; and

wherein, if the step of checking if the client is able to create an object on the  
server determines that the client is able to create an object in the server, the method

10 further includes the step of:

creating a reservation object specification on the server in order to reserve the  
object creation right with the server on behalf of the client.

15. The method of claim 13 further comprising the steps of:

15 in response to returning the object creation right to the client, receiving, from a  
client, a reservation object specification on the server that reserves the object creation  
right on behalf of the client; and

creating the reservation object specification on the server in order to reserve the  
object creation right with the server on behalf of the client.

20 16. The method of claim 9 further comprising the steps of:

receiving a confirmation of acceptance of the global object specification provided  
to the client; and

25 providing a global object specification update to other clients such that the other  
clients can retrieve the global object specification from the server.

17. The method of claim 16 further comprising the steps of:

receiving a request from the other clients for the global object specification; and

30 in response to receiving the request from the other clients for the global object  
specification, providing the global object specification to the other clients.

18. A method for defining shared objects on a client and a server, the method comprising the steps of:

providing, from the client, a local object specification to the server;  
 5 receiving, in the server, the local object specification from the client;  
 in the server, for each local object definition in the local object specification,  
 defining, within a global object specification, a corresponding global object definition  
 including a unique global object identification;  
 providing, from the server, the global object specification to the client.  
 10 receiving, at the client, the global object specification from the server; and  
 comparing, in the client, the global object specification to the local object  
 specification to determine that the server properly created the global object specification  
 based upon the local object specification, and if the server properly created the global  
 object specification, replacing the local object specification in the client with the global  
 15 object specification received from the server, and if the server improperly created a  
 global object specification, providing from the client an indication of an error to the  
 server.

19. A client computer system comprising:

20 an interface;  
 a processor;  
 a memory system; and  
 an interconnection mechanism coupling the interface, the processor and the  
 memory system;  
 25 wherein the memory system is encoded with an client object manager process  
 that, when performed on the processor, operates as a client to cause the client computer  
 system to define shared objects by performing the operations of:  
 providing a local object specification defined in the memory system to a server  
 via the interface;

602277-65110200

receiving, in the memory system, a global object specification from the server via the interface; and

generating a signal in the memory system indicating whether the global object specification and the local object specification define common object definitions having  
5 respective unique object identifiers.

20. The client computer system of claim 19 wherein when the processor performs the operation of providing the local object specification to the server, the processor further performs the operations of:

10 reserving an object creation right with the server; and

in response to reserving the object creation right with the server, defining a local object specification in the memory system to include at least one local object definition and a corresponding local object identification that is unique to the at least one local object on the client; and

15 transferring the local object specification to the server via the interface.

21. The client computer system of claim 20 wherein when the processor performs the operation of reserving an object creation right with the server, the processor further performs the operations of:

20 checking for an existence of an object specification on the server, and if no object specification exists on the server, creating a reservation object specification on the server in order to reserve the object creation right with the server on behalf of the client, and if an object specification exists on the server, receiving, via the interface, a denial of the object creation right for the client.

25 22. The client computer system of claim 20 wherein when the processor performs the operation of generating a signal indicating whether the global object specification and the local object specification define common object definitions, the processor further performs the operations of:

checking whether the global object specification contains a corresponding global object definition for each respective local object defined in the local object specification;

if the global object specification contains a corresponding global object definition for each respective local object defined in the local object specification, then replacing the local object specification in the memory system in the client with the global object specification received from the server; and

if the global object specification does not contain a corresponding global object definition for each respective local object defined in the local object specification, then providing the indication of an error to the server via the interface.

23. The client computer system of claim 19 wherein the signal indicates that the global object specification and the local object specification define common object definitions and wherein the processor further performs the operations of:

in response to the signal indicating that the global object specification and the local object specification define common object definitions, providing a confirmation of acceptance of the global object specification to the server, via the interface, to indicate to the server to send an update to other clients such that the other clients can create objects in conjunction with the server; and

releasing the object creation right with the server.

24. The client computer system of claim 23 wherein when the processor performs the operation of releasing the object creation right with the server, the processor performs the operation of providing an indication to the server, via the interface, to delete a reservation object specification on the server that reserve the object creation right with the server on behalf of the client.

25. The client computer system of claim 19 wherein when the processor performs the operation of receiving the global object specification the processor performs the operation of:



receiving, via the interface, a global object specification containing global object definitions that correspond to respective local object definitions in the local object specification, the global object definitions having respective global object identifications that are unique amongst all global object definitions created by the server.

5

26. The client computer system of claim 25 wherein:

the client is client collaboration software performing on a client computer system involved in a collaboration session with the server;

the server is collaboration adapter software operating on a collaboration computer system; and

10

wherein the processor further performs the operation of:

in response to determining that the server properly created the global object specification, providing confirmation of acceptance of the global object specification to the server via the interface such that the server can update the global object specification of other client computer systems performing client collaboration software such that all clients involved in the collaboration session with the server contain the global object definitions having unique global object identifications.

15

27. A server computer system comprising:

20

an interface;

a processor;

a memory system; and

an interconnection mechanism coupling the interface, the processor and the memory system;

25

wherein the memory system is encoded with a server object manager process that, when performed on the processor, operates as a server to cause the server computer system to define objects by performing the operations of:

receiving a local object specification from a client via the interface;

for each local object definition in the local object specification, defining, within a global object specification in the memory system, a corresponding global object definition including a unique global object identification; and

providing the global object specification from the memory system to the client via the interface.

28. The server computer system of claim 27 wherein when the processor performs the operation of defining, within a global object specification, a corresponding global object definition including a unique global object identification the processor performs the operations of:

creating a global object definition in the memory system that contains object properties equivalent to object properties of the local object definition to which the global object definition corresponds; and

generating an object identification for the unique global object identification that is unique amongst all global object identifications assigned to any existing global object definitions known to the server; and

assigning the unique global object identification to the global object definition in the memory system such that the global object definition is uniquely identified amongst all global object definitions in the memory system.

29. The server computer system of claim 28 wherein when the processor performs the operation of creating a global object definition that contains object properties equivalent to object properties of the local object definition to which the global object definition corresponds the processor performs the operations of:

copying the local object definition in the local object specification to a global object definition within the global object specification to generate the global object definition which is a copy of the local object definition; and

wherein the step of assigning the unique global object identification to the global object definition replaces the local object identification copied to the global object

definition with the unique global object identification generated by the step of generating an object identification for the unique global object identification.

30. The server computer system of claim 29 wherein the processor further performs the operation of:

associating the global object definition to the global object specification.

31. The server computer system of claim 27 wherein the processor further performs the operations of:

receiving, from a client, a request to reserve an object creation right on the server; and

checking if the client is able to create an object on the server, and if the client is able to create an object on the server, returning an object creation right to the client, and if the client is not able to create an object on the server, providing a denial of the object creation right to the client.

32. The server computer system of claim 31 wherein when the processor performs the operation of receiving, from a client, a request to reserve an object creation right on the server, the processor performs the operations of:

receiving, via the interface, an attempt to create a reservation object specification from the client in order to reserve the object creation right with the server on behalf of the client; and

wherein, if the step of checking if the client is able to create an object on the server determines that the client is able to create an object in the server, the method further includes the step of:

creating a reservation object specification on the server in order to reserve the object creation right with the server on behalf of the client.

33. The server computer system of claim 31 wherein the processor further performs the operations of:

in response to returning the object creation right to the client, receiving, from a client via the interface, a reservation object specification on the server that reserves the object creation right on behalf of the client; and

creating the reservation object specification in the memory system on the server in order to reserve the object creation right with the server on behalf of the client.

34. The server computer system of claim 27 wherein the processor further performs the operations of:

receiving, via the interface from the client, a confirmation of acceptance of the global object specification provided to the client; and

providing a global object specification update, via the interface to other clients such that the other clients can retrieve the global object specification from the server.

35. The server computer system of claim 26 wherein the processor further performs the operations of:

receiving, via the interface, a request from the other clients for the global object specification in the memory system; and

in response to receiving the request from the other clients for the global object specification, providing the global object specification in the memory system to the other clients via the interface.

36. The server computer system of claim 27 wherein the server computer system is a collaboration server and wherein the server object manager process encoded in the memory system is server collaboration software that, when performed on the processor, operates as a collaboration server to allow distribution of the global object specification to multiple client computer systems involved in a collaboration session.

37. A system for defining objects on a client and a server, the system comprising the steps of:

a client computer system configured with a client;

a server computer system configured with a server;  
a network interconnecting the client computer system and the server computer system;  
the client providing a local object specification to the server via the network;  
5 the server receiving the local object specification from the client via the network;  
for each local object definition in the local object specification, the server defining, within a global object specification, a corresponding global object definition including a unique global object identification;  
the server providing the global object specification to the client via the network;  
10 the client receiving the global object specification from the server; and  
the client comparing the global object specification to the local object specification to determine whether the server properly created the global object specification based upon the local object specification by determining whether the global object specification and the local object specification define common object definitions,  
15 and if the server properly created the global object specification, replacing the local object specification in the client with the global object specification received from the server, and if the server improperly created a global object specification, providing from the client an indication of an error to the server.

20 38. A computer program product having a computer-readable medium including computer program logic encoded thereon for defining objects in a client, such that the computer program logic, when performed on at least one processor within a client computer system, causes the at least one processor to perform the operations of:  
providing a local object specification to a server;  
25 receiving a global object specification from the server; and  
generating a signal indicating whether the global object specification and the local object specification define common object definitions having respective unique object identifiers.

39. A computer program product having a computer-readable medium including computer program logic encoded thereon for defining objects in a server, such that the computer program logic, when performed on at least one processor within a server computer system, causes the at least one processor to perform the operations of:

5 receiving a local object specification from a client;

for each local object definition in the local object specification, defining, within a global object specification, a corresponding global object definition including a unique global object identification; and

providing the global object specification to the client.

10 40. The computer program product of claim 39 wherein the computer program logic that causes the at least one processor to perform the operation of defining, within a global object specification, a corresponding global object definition including a unique global object identification, comprises computer program logic that when performed on the  
15 processor, causes the at least one processor to perform the operations of:

creating a global object definition that contains object properties equivalent to object properties of the local object definition to which the global object definition corresponds;

generating an object identification for the unique global object identification that  
20 is unique amongst all global object identifications assigned to any existing global object definitions known to the server; and

assigning the unique global object identification to the global object definition such that the global object definition is uniquely identified amongst all global object definitions.

25 41. In a client computer system, a method for performing object operations, the method comprising the steps of

providing an object operation to a server from a client performing on the client computer system;

receiving, at the client, a global object specification update from the server, the global object specification update indicating that the server performed the object operation on a global object specification maintained by the server; and

in response to receiving the global object specification update, performing the object operation on a global object specification maintained by the client.

42. The method of claim of claim 41 wherein the object operation is a create object operation, and wherein the step of providing the object operation to a server comprises the steps of:

defining at least one object property for a global object definition to be created by the server;

providing the object operation to the server including the at least one object property; and

wherein the step of receiving receives the global object specification update containing a new global object identification for a new global object definition to be created in the global object specification in the client computer system; and

wherein the step of performing the object operation on a global object specification maintained by the client includes the steps of:

generating the global object definition within the global object specification on the client computer system, the global object definition containing the at least one object property and containing the global object identification received from the global object specification update.

43. The method of claim of claim 41 wherein the object operation is a delete object operation, and wherein the step of providing the object operation to a server comprises the steps of:

defining at least one object property for a global object definition to be deleted from a global object specification maintained by the server;

providing the object operation to the server including the at least one object property; and

ste  
ob  
ca  
ste  
im  
vi  
on  
u

A'

10

9 Oct  
A-1

Variable	Mean	Standard Deviation	Minimum	Maximum
AGE	35.2	12.5	21	65
SEX	0.48	0.50	0	1
EDUCATION	12.8	2.1	9	16
INCOME	28,500	15,200	10,000	55,000
OWNERSHIP	0.65	0.48	0	1
RENTAL	0.35	0.48	0	1
DEBT	0.72	0.45	0	1
SALES	150,000	80,000	50,000	300,000
PROFIT	45,000	25,000	15,000	90,000